

## Safety Data Sheet

Printing date 06/10/2015

Version Number 1.0

Reviewed on 06/10/2015

**1 Identification****Product identifier****Trade name:** MK6-HY**SDS ID Number:** 3001D**Relevant identified uses of the substance or mixture and uses advised against**

Specialty construction product. Not intended for other uses

**Details of the supplier of the safety data sheet****Manufacturer/Supplier:**

W.R. Grace & Co. -Conn.  
62 Whittemore Avenue  
Cambridge, MA 02140 USA

Grace Canada, Inc.  
294 Clements Road W.  
Ajax, Ontario L1S 3C6 Canada

**Information department:**

Environmental Health & Safety  
USA: +1-617-876-1400 (24 hours)  
+1-800-354-5414 (8AM - 5PM) Not functional within Massachusetts  
CAN: 1-905-683-8561 (24 hours)

**Transport Emergency:** Chemtrec +1-800-424-9300 (24 hours)**2 Hazard(s) identification****Classification of the substance or mixture**

Depending on the type of handling and use, airborne respirable crystalline silica may be generated. Prolonged and/or massive inhalation of respirable silica dust may cause silicosis. Occupational exposure to respirable crystalline silica should be monitored and controlled.

This product should be handled with care to avoid dust generation.

May cause cancer. Route of exposure: Inhalation.

**GHS label elements** The product is classified and labeled according to the Globally Harmonized System (GHS).

**Hazard pictograms**

GHS08

Danger

**Precautionary statements**

Do not handle until all safety precautions have been read and understood.

Avoid breathing dust.

Wash thoroughly after handling.

In case of inadequate ventilation wear respiratory protection.

Dispose of contents container in accordance with all applicable regulations.

(Cont. on page 2)

USGHS

## Safety Data Sheet

Printing date 06/10/2015

Version Number 1.0

Reviewed on 06/10/2015

**Trade name: MK6-HY**

(Cont. from page 1)

Wash contaminated clothing before reuse.  
If inhaled, get medical advice/attention if you feel unwell.

May cause skin and eye irritation.  
Use personal protection equipment as required.

FOR PROFESSIONAL USE ONLY

NFPA ratings (scale 0 - 4)



Health = 1  
Fire = 0  
Reactivity = 0

HMIS-ratings (scale 0 - 4)



Health = \*1  
Flammability = 0  
Reactivity = 0

**Other hazards****Results of PBT and vPvB assessment**

PBT: Not applicable.

vPvB: Not applicable.

**3 Composition/information on ingredients****Chemical characterization: Mixtures**

Description: Mixture of the substances listed below with additional nonhazardous ingredients.

**Hazardous components:**

7778-18-9	Calcium sulfate, natural	50-100%
14808-60-7	Quartz (SiO <sub>2</sub> )	1.0-2.0%
1317-65-3	Calcium carbonate	1.0-10%

Additional information: For the wording of the listed risk phrases refer to section 16.

**4 First-aid measures****Description of first aid measures**

General information: Get medical advice/attention if you feel unwell.

After inhalation: If breathing has stopped, give artificial respiration then oxygen if needed.

**After skin contact:**

Immediately wash contaminated skin with soap or mild detergent and water. If this chemical soaks clothing, immediately remove clothing and wash skin.

If skin irritation occurs, consult a doctor.

**After eye contact:**

Rinse cautiously with water for several minutes.

If eye irritation occurs, consult a doctor.

**After swallowing:**

Rinse mouth.

(Cont. on page 3)

USGHS

## Safety Data Sheet

Printing date 06/10/2015

Version Number 1.0

Reviewed on 06/10/2015

**Trade name: MK6-HY**

Do not induce vomiting.

(Cont. from page 2)

**Information for doctor:****Most important symptoms and effects, both acute and delayed** No further relevant information available.**Indication of any immediate medical attention and special treatment needed**

No further relevant information available.

**5 Fire-fighting measures****Special hazards arising from the substance or mixture** No further relevant information available.**Additional information** No further relevant information available.**6 Accidental release measures****Personal precautions, protective equipment and emergency procedures**Wear protective equipment. Keep unprotected persons away.  
Avoid formation of dust.**Methods and material for containment and cleaning up:**Sweep up spilled product into receptacles.  
Avoid formation of dust.  
Vacuuming or wet sweeping may be used to avoid dust dispersal.  
Dispose contaminated material as waste according to section 13 of the SDS.**Reference to other sections**See Section 7 for information on safe handling.  
See Section 8 for information on personal protection equipment.  
See Section 13 for disposal information.**7 Handling and storage****Handling:****Precautions for safe handling**Fit dust covers to mixers.  
Prior to welding or cutting, Monokote must be removed from steel surfaces likely to be exposed to excessive heating.  
Avoid contact with skin.  
Avoid contact with eyes.  
Do not breathe dust.**Conditions for safe storage, including any incompatibilities****Storage:****Further information about storage conditions:** Store in cool, dry conditions in well sealed original receptacles.**Specific end use(s)** No further relevant information available.

USGHS

(Cont. on page 4)

## Safety Data Sheet

Printing date 06/10/2015

Version Number 1.0

Reviewed on 06/10/2015

Trade name: *MK6-HY*

(Cont. from page 3)

**8 Exposure controls/personal protection**

**Additional information about design of technical systems:** No further data; see item 7.

**Control parameters****Components with limit values that require monitoring at the workplace:****1317-65-3 Calcium carbonate**

TWA (USA)	Short-term value: 10 mg/m <sup>3</sup> , mg/m <sup>3</sup> ppm Long-term value: 10 mg/m <sup>3</sup> , mg/m <sup>3</sup> ppm (Particulate matter no asbestos)
-----------	---

**14808-60-7 Quartz (SiO<sub>2</sub>)**

PEL (USA)	see Quartz listing
REL (USA)	Long-term value: 0.05* mg/m <sup>3</sup> *respirable dust; See Pocket Guide App. A
TLV (USA)	Long-term value: 0.025* mg/m <sup>3</sup> * as respirable fraction

**Additional information:** The lists that were valid during the creation were used as basis.

**Work/Hygienic Practices:** The usual precautionary measures for handling chemicals should be followed.

**Exposure controls**

Minimize airborne dust generation. Use process enclosures, local exhaust ventilation or other engineering controls to keep airborne levels below specified exposure limits. If user operations generate dust, or mist, use ventilation to keep exposure to airborne particles below the exposure limit. Apply organizational measures, eg. by isolating personnel from dusty areas. Remove and wash soiled clothing.

**Personal protective equipment:****General protective and hygienic measures:**

Store protective clothing separately.

The usual precautionary measures for handling chemicals should be followed.

**Breathing equipment:**

Wear NIOSH-approved respiratory protection (generally a N-95 dust/mist respirator is appropriate) to prevent employee exposures from exceeding the limits specified in this section.

**Protection of hands:**

Gloves should be worn to prevent skin contact and should be impermeable and resistant to the product.

**Material of gloves**

Gloves should be worn to prevent skin contact and should be impermeable and resistant to the product.

**Eye protection:**

Safety glasses with side shield protection.

Safety glasses with side shields should be worn to prevent contact due to splashing. Under high vapor mist concentrations, tightly sealed goggles should be worn.

**Body protection:**

Use personal protective equipment as required.

Take off contaminated clothing and wash before reuse.

USGHS

(Cont. on page 5)

## Safety Data Sheet

Printing date 06/10/2015

Version Number 1.0

Reviewed on 06/10/2015

Trade name: *MK6-HY*

(Cont. from page 4)

**9 Physical and chemical properties****Information on basic physical and chemical properties****General Information****Appearance:**

<b>Form:</b>	Powder
<b>Color:</b>	Grey
<b>Odor:</b>	Earthy
<b>Odour threshold:</b>	Not determined.

**pH-value (~):** Not applicable.

**Change in condition**

<b>Melting point/Melting range:</b>	Undetermined.
<b>Boiling point/Boiling range:</b>	Undetermined.
<b>Flash point:</b>	Not applicable.

**Flammability (solid, gaseous):** Not determined.

<b>Decomposition temperature:</b>	Not determined.
<b>Auto igniting:</b>	Product is not selfigniting.
<b>Danger of explosion:</b>	Product does not present an explosion hazard.

**Explosion limits:**

<b>Lower:</b>	Not determined.
<b>Upper:</b>	Not determined.
<b>VOC Content (max):</b>	Not determined.

<b>Vapor pressure:</b>	Not applicable.
<b>Density: (~)</b>	Not determined.
<b>Relative density</b>	Not determined.
<b>Vapour density</b>	Not applicable.
<b>Evaporation rate</b>	Not applicable.

**Solubility in / Miscibility with**

**Water:** Not miscible or difficult to mix.

**Partition coefficient (n-octanol/water):** Not determined.

**Viscosity:**

<b>Dynamic:</b>	Not applicable.
<b>Kinematic:</b>	Not applicable.
<b>Molecular weight</b>	Not applicable.

**Other information** No further relevant information available.

**10 Stability and reactivity**

**Reactivity** Stable under normal conditions.

**Chemical stability**

**Thermal decomposition:** No decomposition if used according to specifications.

**Conditions to avoid** No further relevant information available.

**Incompatible materials:** No further relevant information available.

**Hazardous decomposition products:**

Carbon monoxide and carbon dioxide  
Cutting or welding may generate Sulfur dioxide.

(Cont. on page 6)

USGHS

## Safety Data Sheet

Printing date 06/10/2015

Version Number 1.0

Reviewed on 06/10/2015

Trade name: *MK6-HY*

(Cont. from page 5)

**Additional information:** See section 7 for information on handling, storage and conditions to be avoided.**11 Toxicological information**

Prolonged and or massive exposure to respirable crystalline silica containing dust may cause silicosis, a nodular pulmonary fibrosis caused by deposition in the lungs of fine respirable particles of crystalline silica.

**Information on toxicological effects****Acute toxicity:****LD/LC50 values relevant for classification:****1317-65-3 Calcium carbonate**

Oral	LD50	6450 mg/kg (rat)
	LC50, 96h	10.000 mg/l (fish)

**Primary irritant effect:****on the skin:** No irritating effect expected**on the eye:** No irritating effect expected**inhalation:** No irritating effect expected**Additional toxicological information:**

Prolonged exposure may cause risk of lung disease (i.e. silicosis and/or lung cancer).

**Carcinogenic categories****IARC (International Agency for Research on Cancer) Human Carcinogenicity:  
Group 1- Positive, Group 2A- Probable, Group 2B- Possible, Group 3- Not Classifiable**

14808-60-7	Quartz (SiO <sub>2</sub> )	1
9003-53-6	Expanded Polystyrene	3

**NTP (National Toxicology Program)****K–Known to be carcinogenic, R–May reasonably be anticipated to be carcinogenic**

14808-60-7	Quartz (SiO <sub>2</sub> )	K
------------	----------------------------	---

**OSHA-Ca (Occupational Safety & Health Administration)**

None of the ingredients is listed.

**12 Ecological information****Toxicity****Aquatic toxicity:****1317-65-3 Calcium carbonate**

EC50, 48h	1.000 mg/l (daphnia magna)
EC50, 72h	10.000 mg/l (algae)

**Persistence and degradability** No further relevant information available.**Behavior in environmental systems:****Bioaccumulative potential** No further relevant information available.**Mobility in soil** No further relevant information available.

(Cont. on page 7)

USGHS

## Safety Data Sheet

Printing date 06/10/2015

Version Number 1.0

Reviewed on 06/10/2015

Trade name: *MK6-HY*

(Cont. from page 6)

**Additional ecological information:****General notes:** Not known to be hazardous to water.**Results of PBT and vPvB assessment****PBT:** Not applicable.**vPvB:** Not applicable.**Other adverse effects** No further relevant information available.**13 Disposal considerations****Waste treatment methods** Comply with Federal, State and local regulations.**Recommendation:**

Must not be disposed of together with household garbage. Do not allow product to reach sewage system.

**Uncleaned packagings:****Recommendation:** Disposal must be made according to official regulations.**14 Transport information****UN-Number**

DOT, ADR, ADN, IMDG, IATA Not applicable.

**UN proper shipping name**

DOT, ADR, ADN, IMDG, IATA Not applicable.

**Transport hazard class(es)**DOT, ADR, ADN, IMDG, IATA  
Class Not applicable.**Packing group**

DOT, ADR, IMDG, IATA Not applicable.

**Environmental hazards:****Marine pollutant:** No**Special precautions for user** Not applicable.**Transport/Additional information:****DOT****Remarks:** Not Regulated.**Note:** Not Regulated for Canada TDG.**UN "Model Regulation":** -

USGHS

(Cont. on page 8)

## Safety Data Sheet

Printing date 06/10/2015

Version Number 1.0

Reviewed on 06/10/2015

Trade name: *MK6-HY*

(Cont. from page 7)

**15 Regulatory information****SARA (Superfund Amendments and Reauthorization Act)****Section 302/304 (extremely hazardous substances):**

None of the ingredients is listed.

**Section 313 Reportable Ingredients (Chemicals present below reporting threshold are exempt):**

None of the ingredients is listed.

**SARA Section 312/Tier I & II Hazard Categories:**

Health Delayed (chronic)	Yes
Health Immediate (acute)	Yes
Flammable	No
Reactive	No
Pressure	No

**North America Chemical Inventory Status****TSCA (Toxic Substances Control Act - United States):**

All ingredients are listed or exempt from listing unless otherwise noted below.

**CEPA (Canadian DSL):**

All ingredients are listed or exempt from listing unless otherwise noted below.

**Right to Know Ingredient Disclosure**

7778-18-9	Calcium sulfate, natural
65996-61-4	Cellulosic Fiber
9003-53-6	Expanded Polystyrene

**California Proposition 65****Chemicals known to cause cancer:**Quartz (SiO<sub>2</sub>)**Chemicals known to cause reproductive toxicity for females:**

None of the ingredients is listed.

**Chemicals known to cause reproductive toxicity for males:**

None of the ingredients is listed.

**Chemicals known to cause developmental toxicity:**

None of the ingredients is listed.

**Carcinogenicity Categories****EPA (Environmental Protection Agency)**

None of the ingredients is listed.

**TLV-ACGIH (THE American Conference of Governmental Industrial Hygienists)  
Human Carcinogen - A1 Confirmed, A2 Suspected, A3 Unknown Relevance, A4 Not Classifiable**Quartz (SiO<sub>2</sub>)

A2

**NIOSH-Cancer (National Institute for Occupational Safety and Health)**14808-60-7 | Quartz (SiO<sub>2</sub>)**Volatile Organic Compounds (VOC) reported per the Emission Standards. 0 g/L****16 Other information**

"The data included herein are presented in accordance with various environment, health and safety regulations. It is the responsibility of a recipient of the data to remain currently informed on chemical hazard information, to design and update its own program and to comply with all national, federal, state and local laws and regulations applicable to safety, occupational health, right-to-know and environmental protection."

(Cont. on page 9)  
USGHS

## Safety Data Sheet

Printing date 06/10/2015

Version Number 1.0

Reviewed on 06/10/2015

**Trade name: MK6-HY**

(Cont. from page 8)

**Department issuing SDS:**

W.R. Grace & Co. -Conn.  
62 Whittemore Avenue  
Cambridge, MA 02140 USA  
USA: +1-617-876-1400 (24 hours)  
+1-800-354-5414

**Other Information:**

There is sufficient information to conclude that the relative risk of lung cancer is increased in persons with silicosis. Therefore preventing the onset of silicosis will also reduce the cancer risk.

**Date of preparation / last revision** 06/10/2015 / -

**The first date of preparation** 05/29/2015

**Number of revision times and the latest revision date** 1.0 / 06/10/2015

USGHS