

MATERIAL SAFETY DATA SHEET

NFPA	WHMIS	Personal Protective Equipment	Transport Symbol
2 0			not regulated

Preparation Date: 16-December-2005 Revision Date 16-July-2007 Revision Number 1

1. PRODUCT and COMPANY IDENTIFICATION

Generic Product Name Loosefill Insulation

Common name PROPINK® Loosefill Fiber Glass Insulation, PROPINK® Complete, PINK®

Complete, PINK® Loosefill Fiber Glass Insulation

MSDS No. 23118-NAM-EN

Recommended Use Blowing Wool

Contact manufacturer Owens Corning Insulating Systems, LLC

One Owens Corning Parkway

Toledo, OH 43659

Emergency telephone number Emergencies Only (after 5 pm AND weekends) 1-419-248-5330

CHEMTREC (24 hours everyday) 1-800-424-9300 CAUNTEC (Canada – 24 hours everyday) 1-613-996-6666

Health and Technical contacts Health Issues Information (8am-5pm ET): 1-419-248-8234

Technical Product Information (8am-5pm ET): 1-800-GET-PINK or

1-800-438-7465

2. HAZARD IDENTIFICATION

Emergency Overview

Exposure to dust may be irritating to eyes, nose and throat.

Appearance: Pink Physical State: Fibrous Odor: Odorless

Potential Health Effects

Principle Routes of Exposure

⊨ye

Skin Contact Inhalation

Acute Effects

Eyes May cause slight irritationSkin May cause slight skin irritation

Inhalation May cause irritation of respiratory tract

• Ingestion Ingestion of material is unlikely

Chronic Effects There is no known chronic health effect connected with long-term use or contact with these

products

Aggravated Medical Conditions

Chronic respiratory or skin conditions may temporarily worsen from exposure to this product

Carcinogenic Status

This product contains a component which is listed by IARC, OSHA or NTP. See Section 11

OSHA Regulatory Status

This material is considered hazardous by the OSHA Hazard Communication Standard (29 CFR 1910.1200)

Potential Environmental Effects

There is no known ecological information for this product

3. COMPOSITION/INFORMATION ON INGREDIENTS

CAS#	Component	Percent by Wt.
65997-17-3	Glass Fiber, wool	90-100
64741-88-4	Petroleum Distillates, solvent-refined heavy paraffinic	0-5

Non-Hazardous Statement

The remaining components of this product are non-hazardous or are in small enough quantities as to not meet regulatory thresholds for disclosure. These components contain no substances or impurities which would influence the classification of this product.

4. FIRST AID MEASURES

Eye contact

- Rinse immediately with plenty of water, also under the eyelids, for at least 15 Minutes
- Do not rub or scratch eyes
- · If eye irritation persists, consult a specialist

Skin contact

- · Wash off immediately with soap and cold water.
- DO NOT use warm water because this will open up the pores of the skin, which will cause further penetration of the fibers.
- DO NOT rub or scratch affected areas.
- Use a wash cloth to help remove fibers or apply and remove with adhesive tape so that the fibers adhere to the tape and are lifted away from skin.
- · Remove exposed clothing.
- If skin irritation persists, call a physician
- Never use compressed air to remove fibers from skin

Ingestion

- Accidental ingestion of this material is unlikely
- If this does occur, watch person for several days to make sure intestinal blockage does not occur
- Rinse mouth with water to remove fibers from the throat
- If symptoms persist, call a physician

Inhalation • Move to fresh air

If symptoms persist, call a physician

5. FIRE-FIGHTING MEASURES

Flammability/Combustibility Properties Non-flammable

Suitable extinguishing media dry chemical

foam

carbon dioxide (CO2)

water fog

Unsuitable Extinguishing Media None

Hazardous Combustion Products Carbon Monoxide

Carbon Dioxide (CO2)

Other undetermined compounds could be released in small quantities

Explosion Data

Sensitivity to Mechanical Impact Not available Sensitivity to Static Discharge Not available

Special Hazards Arising from the Chemical

No unusual fire and explosion hazards from this product are expected

Protective Equipment and Precautions for Firefighters

Wear self-contained breathing apparatus (SCBA) and full fire fighting protective gear

NFPA Health 2 Flammability 0 Reactivity 0 Special Instructions: none

6. ACCIDENTAL RELEASE MEASURES

Personal precautions • Ensure adequate ventilation

· Keep unnecessary personnel out of area

Methods for Containment

• Material will settle out of air

• Material will sink and disperse along the bottom of waterways and ponds.

Prevent from spreading by covering or other means

• Use an industrial vacuum cleaner with a high efficiency filter to clean up dust

and fiber contamination

Avoid dry sweeping

· After cleaning, flush away traces with water

· Pick up and transfer to properly labeled containers

7. HANDLING AND STORAGE

Handling • Avoid buildup of dust

• Do not breathe dust

· Wear personal protective equipment

· Wash thoroughly after handling, especially prior to eating or smoking

• Keep product in its packaging until use

Material should be kept dry and undercover

8. EXPOSURE CONTROLS / PERSONAL PROTECTION

	ACGIH TLV	OSHA PEL	Ontario TWAEV	Mexico
Glass Fiber – Wool 65997-17-3	1 f/cc (respirable) 10 mg/m³ (inhalable synthetic vitreous fibers) 3 mg/m³ (respirable fraction - PNOC	1 f/cc (respirable) (voluntary established by NAIMA and OSHA HSPP)	STEL – 0.6 mg/m ³ TWA – 0.05 mg/m ³ TWA – 1 f/cc	TWA – 0.15 mg/m ³
Petroleum Distillates, solvent-refined heavy paraffinic 64741-88-4	0.2 mg/m3 TWA			

Engineering Controls

- Provide local exhaust and/or general ventilation to maintain exposure below regulatory and recommended limits.
- Dust collection system must be used in transferring operations, cutting or machining or other dust generating process.
- Vacuum or wet clean-up methods should be used

Personal protective equipment

Respiratory protection

· When workers are facing concentrations above the exposure limit they must use an appropriate and properly fitted certified respirators such as 3M model 8210 (3M model 8271 in high humidity environments)

Eye/face Protection

- · Safety glasses with side-shields
- Goggles

Skin Protection

- Protective gloves
- · Long sleeved shirt and long pants

- General Hygiene Considerations Wash hands before breaks and immediately after handling the product
 - · Avoid contact with skin, eyes and clothing
 - · Avoid getting dust into boots and gloves through wrist bands and pant tucks
 - Remove and wash exposed clothing before re-use

9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance Pink Odorless Odor **Physical State Fibrous** Hq

Does not apply Flash point Does not apply **Autoignition temperature** Does not apply **Boiling Point** Does not apply Does not apply Melting point/range

Flammability Limits in Air lower / upper /

Explosive properties Does not apply **Oxidizing properties** Does not apply **Vapor Pressure** Does not apply **Specific Gravity** Does not apply Water solubility Insoluble **VOC** content Not available

10. STABILITY AND REACTIVITY

Chemical Stability Stable

Conditions to avoid None expected

Incompatible Materials None expected

Hazardous decomposition products

None under normal use

Possibility of Hazardous Reactions Hazardous polymerization does not occur

11. TOXICOLOGICAL INFORMATION

Acute toxicity

General Product Information

Dusts may cause mechanical irritation to eyes and skin. Ingestion may cause transient irritation of throat, stomach and gastrointestinal tract. Inhalation may cause coughing, nose and throat irritation, and sneezing. Higher exposures may cause difficulty breathing, congestion and chest tightness.

Component Analysis - LD50/LC50

	LD50 Oral	LD50 Dermal	LC50 Inhalation
Petroleum Distillates, solvent-refined heavy	5000 mg/kg Rat	2000 mg/kg Rabbit	2.18 mg/L Rat 4H
paraffinic			_

Chronic toxicity

<u>Fiber Glass Wool</u>: In October 2001, the International Agency for Research on Cancer (IARC) classified fiber glass wool as Group 3, "not classifiable as to its carcinogenicity to humans." The 2001 decision was based on human studies and animal research that have not shown an association between inhalation exposure to dust from fiber glass wool and the development of respiratory disease. This classification replaces the IARC finding in 1987 of a Group B designation "possibly carcinogenic to humans."

In May 1997, the American Conference of Governmental Industrial Hygienists (ACGIH) adopted an A3 carcinogen classification for glass wool fibers. The ACGIH A3 classification considers glass wool to be carcinogenic in experimental animals at relatively high doses, by routes of administration, at sites, or by mechanisms that it does not consider relevant to worker exposure. It also reviewed the available epidemiological studies and concluded that they do not confirm an increased risk of cancer in exposed humans. Overall, the ACGIH found that the available medical/scientific evidence suggests that glass wool is not likely to cause cancer in humans except under uncommon or unlikely routes or levels of exposure.

In 1994, the National Toxicology Program (NTP) classified glass wool (respirable size) as "reasonably anticipated to be a human carcinogen." This classification was primarily based upon the 1987 IARC classification. NTP is currently considering reclassifying this material.

Component Analysis

	ACGIH	IARC	OSHA	NTP	Mexico
Fiber Glass, Wool	A3	Group 3	X	Reasonably Anticipated	A3
65997-17-3	animal carcinogen	not classifiable			animal carcinogen

Allergy	No information available
---------	--------------------------

Neurological Effects	No information available
Mutagenic Effects	No information available
Reproductive Effects	No information available
Developmental Effects	No information available
Target Organ Effects	No information available

12. ECOLOGICAL INFORMATION

Ecotoxicity: This material is not expected to cause harm to animals, plants or fish

Chemical Fate

Persistence/Degradability

Bioaccumulation/Accumulation

Mobility in Environmental Media

Not available

Not available

13. DISPOSAL CONSIDERATIONS

Waste Disposal Method Dispose of in accordance with Local, State, Federal and Provincial regulations.

Contaminated packaging Empty containers should be taken for local recycling, recovery or waste disposal.

US EPA Waste NumberNo EPA Waste Numbers are applicable for this product's components.

RCRA This material is not expected to be a characteristic hazardous waste under RCRA

14. TRANSPORT INFORMATION

DOT not regulated **TDG** not regulated **IMDG/IMO** not regulated not regulated RID **ADR** not regulated not regulated **ICAO IATA** not regulated MEX not regulated

15. REGULATORY INFORMATION

International Inventories

All components of this product are either listed on the following inventories or are exempt.

	TSCA	DSL	NDSL	EINECS	ELINCS	ENCS	China	KECL	PICCS	AICS
Glass Fiber – Wool	XU	Present	-	266-046-0	-	-	Present	KE-	GEN-	Present
65997-17-3								17630	0994	
Petroleum Distillate, solvent-	Present	Present	-	265-090-8	-	-	Present	KE-	Present	Present
refined heavy paraffinic								12614		
64741-88-4										

USA

Federal Regulations

SARA 313 Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA)

This product does not contain any chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372

SARA 311/312 Hazardous Categorization

Acute Health Hazards Chronic Health Hazards yes **Risk of Ignition** no Sudden Release of Pressure no **Reactive Hazard** no

Clean Air Act, Section 112 Hazardous Air Pollutants (HAPs) (see 40 CFR 61)

This product does not contain any HAPs

State Regulations

California Proposition 65

The following statement(s) are provided under the California Safe Drinking Water and Toxic Enforcement Act of 1986 (Proposition 65):

WARNING! This product contains a chemical known to the State of California to cause cancer.

State Right-To-Know

	CA	MA	MN	NJ	PA	IL	RI
Glass Fiber, Wool	X	Χ	X		Χ	X	X

Canada

Component Analysis - WHMIS IDL

The following components are identified under the Canadian Hazardous Products Act Ingredient Disclosure List:

Component	CAS#	
Fiber Glass, Wool	65997-17-3	1% item 768 (884) (related to Fibrous
		Glass)

This product has been classified in accordance with the hazard criteria of the Controlled Products Regulations (CPR) and the MSDS contains all the information required by the CPR

WHMIS Status

Controlled

WHMIS Classification D2A-Carcinogenicity, D2B-Irritation

16. OTHER INFORMATION

Preparation Date: 16-December-2005

Revision Date 16-July-2007

Revision Summary New Company Name

Disclaimer

Reasonable care has been taken in the preparation of this information, but the manufacturer makes no warranty of merchantability or any other warranty, expressed or implied, with respect to this information. The manufacturer makes no representations and assumes no liability for any direct, incidental or consequential damages resulting from its use

End of Safety Data Sheet