

Printing date 06/10/2015 Version Number 1.0 Reviewed on 06/10/2015

1 Identification

Product identifier

Trade name: <u>Retroguard</u>
SDS ID Number: 3001I

Relevant identified uses of the substance or mixture and uses advised against

Specialty construction product. Not intended for other uses

Details of the supplier of the safety data sheet

Manufacturer/Supplier:

W.R. Grace & Co. -Conn. 62 Whittemore Avenue Cambridge, MA 02140 USA

Grace Canada, Inc. 294 Clements Road W. Ajax, Ontario L1S 3C6 Canada

Information department:

Environmental Health & Safety USA: +1-617-876-1400 (24 hours)

+1-800-354-5414 (8AM - 5PM) Not functional within Massachusetts

CAN: 1-905-683-8561 (24 hours)

Transport Emergency: Chemtrec +1-800-424-9300 (24 hours)

2 Hazard(s) identification

Classification of the substance or mixture

Depending on the type of handling and use, airborne respirable crystalline silica may be generated. Prolonged and/or massive inhalation of respirable silica dust may cause silicosis. Occupational exposure to respirable crystalline silica should be monitored and controlled.

This product should be handled with care to avoid dust generation.

May cause cancer. Route of exposure: Inhalation.

GHS label elements The product is classified and labeled according to the Globally Harmonized System (GHS).

Hazard pictograms



GHS08

Danger

Precautionary statements

Do not handle until all safety precautions have been read and understood.

Avoid breathing dust.

Wash thoroughly after handling.

In case of inadequate ventilation wear respiratory protection.

Dispose of contents container in accordance with all applicable regulations.

(Cont. on page 2)

(Cont. from page 1)

Safety Data Sheet

Printing date 06/10/2015 Version Number 1.0 Reviewed on 06/10/2015

Trade name: Retroguard

Wash contaminated clothing before reuse.

If inhaled, get medical advice/attention if you feel unwell.

May cause skin and eye irritation.

Use personal protection equipment as required.

FOR PROPSSSIONAL USE ONLY **NFPA ratings (scale 0 - 4)**



 $\begin{aligned} & \text{Health} = 1 \\ & \text{Fire} = 0 \\ & \text{Reactivity} = 0 \end{aligned}$

HMIS-ratings (scale 0 - 4)



 $\begin{aligned} & Health = *1 \\ & Flammability = 0 \\ & Reactivity = 0 \end{aligned}$

Other hazards

Results of PBT and vPvB assessment

PBT: Not applicable. **vPvB:** Not applicable.

3 Composition/information on ingredients

Chemical characterization: Mixtures

Description: Mixture of the substances listed below with additional nonhazardous ingredients.

Hazardous components:		
7778-18-9	Calcium sulfate, natural	30-50%
14808-60-7	Quartz (SiO2)	0.1-1.0%
26499-65-0	Calcium sulphate hemihydrate	30-50%
12174-11-7	Clay	2.0-5.0%

Additional information: For the wording of the listed risk phrases refer to section 16.

4 First-aid measures

Description of first aid measures

General information: Get medical advice/attention if you feel unwell.

After inhalation: If breathing has stopped, give artificial respiration then oxygen if needed.

After skin contact:

Immediately wash contaminated skin with soap or mild detergent and water. If this chemical soaks clothing, immediately remove clothing and wash skin.

If skin irritation occurs, consult a doctor.

After eye contact:

Rinse cautiously with water for several minutes.

If eye irritation occurs, consult a doctor.

(Cont. on page 3)

Printing date 06/10/2015 Version Number 1.0 Reviewed on 06/10/2015

Trade name: Retroguard

(Cont. from page 2)

After swallowing:

Rinse mouth.

Do not induce vomiting.

Information for doctor:

Most important symptoms and effects, both acute and delayed No further relevant information available.

Indication of any immediate medical attention and special treatment needed

No further relevant information available.

5 Fire-fighting measures

Special hazards arising from the substance or mixture No further relevant information available.

Additional information No further relevant information available.

6 Accidental release measures

Personal precautions, protective equipment and emergency procedures

Wear protective equipment. Keep unprotected persons away.

Avoid formation of dust.

Methods and material for containment and cleaning up:

Sweep up spilled product into receptacles.

Avoid formation of dust.

Vacuuming or wet sweeping may be used to avoid dust dispersal.

Dispose contaminated material as waste according to section 13 of the SDS.

Reference to other sections

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

7 Handling and storage

Handling:

Precautions for safe handling

Fit dust covers to mixers.

Prior to welding or cutting, Monokote must be removed from steel surfaces likely to be exposed to excessive heating.

Avoid contact with skin.

Avoid contact with eyes.

Do not breathe dust.

Conditions for safe storage, including any incompatibilities

Storage:

Further information about storage conditions: Store in cool, dry conditions in well sealed original receptacles. (Cont. on page 4)

- USGHS

Printing date 06/10/2015 Version Number 1.0 Reviewed on 06/10/2015

Trade name: Retroguard

(Cont. from page 3)

Specific end use(s) No further relevant information available.

8 Exposure controls/personal protection

Additional information about design of technical systems: No further data; see item 7.

Control parameters

Components with limit values that require monitoring at the workplace:		
1317-65-3 Calcium carbonate		
	Short-term value: 10 mg/m³, mg/m3 ppm Long-term value: 10 mg/m³, mg/m3 ppm (Particulate matter no asbestos)	
14808-60-7 Quartz (SiO2)		
PEL (USA)	see Quartz listing	
REL (USA)	Long-term value: 0.05* mg/m³ *respirable dust; See Pocket Guide App. A	
TLV (USA)	Long-term value: 0.025* mg/m³ * as respirable fraction	

Additional information: The lists that were valid during the creation were used as basis.

Work/Hygienic Practices: The usual precautionary measures for handling chemicals should be followed.

Exposure controls

Minimize airborne dust generation. Use process enclosures, local exhaust ventilation or other engineering controls to keep airborne levels below specified exposure limits. If user operations generate dust, or mist, use ventilation to keep exposure to airborne particles below the exposure limit. Apply organizational measures, eg. by isolating personnel from dusty areas. Remove and wash soiled clothing.

Personal protective equipment:

General protective and hygienic measures:

Store protective clothing separately.

The usual precautionary measures for handling chemicals should be followed.

Breathing equipment:

Wear NIOSH-approved respiratory protection (generally a N-95 dust/mist respirator is appropriate) to prevent employee exposures from exceeding the limits specified in this section.

Protection of hands:

Gloves should be worn to prevent skin contact and should be impermeable and resistant to the product.

Material of gloves

Gloves should be worn to prevent skin contact and should be impermeable and resistant to the product.

Eye protection:



Safety glasses with side shield protection.

Safety glasses with side shields should be worn to prevent contact due to splashing. Under high vapor mist concentrations, tightly sealed goggles should be worn.

Body protection:

Use personal protective equipment as required.

(Cont. on page 5)

Printing date 06/10/2015 Version Number 1.0 Reviewed on 06/10/2015

Trade name: Retroguard

Take off contaminated clothing and wash before reuse.

(Cont. from page 4)

7 i ffysicai affu ch	iciiiica.	i broher	TCS
Information on	basic	physical	and

Information on basic physical and chemical properties	
General Information Appearance:	The second of th
Form:	Powder
Color:	Grey
Odor: Odour threshold:	Earthy Not determined.
pH-value (~):	Not applicable.
	той аррисаоте.
Change in condition Melting point/Melting range: Boiling point/Boiling range: Flash point:	Undetermined. Undetermined. Not applicable.
Flammability (solid, gaseous):	Not determined.
Decomposition temperature: Auto igniting: Danger of explosion:	Not determined. Product is not selfigniting. Product does not present an explosion hazard.
Explosion limits:	
Lower:	Not determined.
Upper:	Not determined.
VOC Content (max):	Not determined.
Vapor pressure:	Not applicable.
Density: (~)	Not determined.
Relative density	Not determined.
Vapour density Evaporation rate	Not applicable. Not applicable.
*	пот аррпсаоте.
Solubility in / Miscibility with Water:	Not miscible or difficult to mix.
Partition coefficient (n-octanol/water): Not determined.	
Viscosity:	
Dynamic:	Not applicable.
Kinematic:	Not applicable.
Molecular weight	Not applicable.
Other information	No further relevant information available.

10 Stability and reactivity

Reactivity Stable under normal conditions.

Chemical stability

Thermal decomposition: No decomposition if used according to specifications.

Conditions to avoid No further relevant information available.

Incompatible materials: No further relevant information available.

(Cont. on page 6)

Printing date 06/10/2015 Version Number 1.0 Reviewed on 06/10/2015

Trade name: Retroguard

(Cont. from page 5)

Hazardous decomposition products:

Carbon monoxide and carbon dioxide

Cutting or welding may generate Sulfur dioxide.

Additional information: See section 7 for information on handling, storage and conditions to be avoided.

11 Toxicological information

Prolonged and or massive exposure to respirable crystalline silica containing dust may cause silicosis, a nodular pulmonary fibrosis caused by deposition in the lungs of fine respirable particles of crystalline silica.

Information on toxicological effects

Acute toxicity:

LD/LC50 values relevant for classification:			
1317	1317-65-3 Calcium carbonate		
Oral	LD50	6450 mg/kg (rat)	
	LC50, 96h	10.000 mg/l (fish)	

Primary irritant effect:

on the skin: No irritating effect expected on the eye: No irritating effect expected inhalation: No irritating effect expected

Additional toxicological information:

Prolonged exposure may cause risk of lung disease (i.e. silicosis and/or lung cancer).

Carcinogenic categories

	rnational Agency for Research on Cancer) Human Carcinogenicity: ositive, Group 2A- Probable, Group 2B- Possible, Group 3- Not Classifiable	
14808-60-7	Quartz (SiO2)	1
9003-53-6	Expanded Polystyrene	3
	nal Toxicology Program) o be carcinogenic, R–May reasonably be anticipated to be carcinogenic	
14808-60-7	Quartz (SiO2)	K

OSHA-Ca (Occupational Safety & Health Administration)

None of the ingredients is listed.

12 Ecological information

Toxicity

Aquatic toxicity:	
1317-65-3 Calcium carbonate	
EC50, 48h	1.000 mg/l (daphnia magna)
EC50, 72h	10.000 mg/l (algae)

Persistence and degradability No further relevant information available.

(Cont. on page 7)

Printing date 06/10/2015 Version Number 1.0 Reviewed on 06/10/2015

Trade name: Retroguard

(Cont. from page 6)

Behavior in environmental systems:

Bioaccumulative potential No further relevant information available.

Mobility in soil No further relevant information available.

Additional ecological information:

General notes: Not known to be hazardous to water.

Results of PBT and vPvB assessment

PBT: Not applicable. **vPvB:** Not applicable.

Other adverse effects No further relevant information available.

13 Disposal considerations

Waste treatment methods Comply with Federal, State and local regulations.

Recommendation:



Must not be disposed of together with household garbage. Do not allow product to reach sewage system.

Uncleaned packagings:

Recommendation: Disposal must be made according to official regulations.

14 Transport information

UN-Number

DOT, ADR, ADN, IMDG, IATA Not applicable.

UN proper shipping name

DOT, ADR, ADN, IMDG, IATA Not applicable.

Transport hazard class(es)

DOT, ADR, ADN, IMDG, IATA

Class Not applicable.

Packing group

DOT, ADR, IMDG, IATA

Not applicable.

Environmental hazards:

Marine pollutant:

No

Special precautions for user Not applicable.

Transport/Additional information:

DOT

Remarks:

Not Regulated.

Note:

Not Regulated for Canada TDG.

(Cont. on page 8)

USGHS

Printing date 06/10/2015 Version Number 1.0 Reviewed on 06/10/2015

Trade name: Retroguard

(Cont. from page 7)

UN "Model Regulation":

15 Regulatory information

SARA (Superfund Amendments and Reauthorization Act)

Section 302/304 (extremely hazardous substances):

None of the ingredients is listed.

Section 313 Reportable Ingredients (Chemicals present below reporting threshold are exempt):

None of the ingredients is listed.

SARA Section 312/Tier I & II Hazard Categories:

Health Delayed (chronic) Yes Health Immediate (acute) Yes Flammable No Reactive No Pressure No

North America Chemical Inventory Status

TSCA (Toxic Substances Control Act - United States):

All ingredients are listed or exempt from listing unless otherwise noted below.

CEPA (Canadian DSL):

All ingredients are listed or exempt from listing unless otherwise noted below.

Right to Know Ingredient Disclosure

7778-18-9 Calcium sulfate, natural

65996-61-4 Cellulosic Fiber

9003-53-6 Expanded Polystyrene

California Proposition 65

Chemicals known to cause cancer:

Quartz (SiQ2)

Chemicals known to cause reproductive toxicity for females:

None of the ingredients is listed.

Chemicals known to cause reproductive toxicity for males:

None of the ingredients is listed.

Chemicals known to cause developmental toxicity:

None of the ingredients is listed.

Carcinogenicity Categories

EPA (Environmental Protection Agency)

None of the ingredients is listed.

TLV-ACGIH (THE American Conference of Governmental Industrial Hygienists)

Human Carcinogen - A1 Confirmed, A2 Suspected, A3 Unknown Relevance, A4 Not Classifiable

NIOSH-Cancer (National Institute for Occupational Safety and Health)

14808-60-7 Quartz (SiO2)

Volatile Organic Compounds (VOC) reported per the Emission Standards. 0 g/L

16 Other information

Quartz (SiQ2)

"The data included herein are presented in accordance with various environment, health and safety regulations. It is the responsibility of a recipient of the data to remain currently informed on chemical hazard information, to design

A2

Printing date 06/10/2015 Version Number 1.0 Reviewed on 06/10/2015

Trade name: Retroguard

(Cont. from page 8)

and update its own program and to comply with all national, federal, state and local laws and regulations applicable to safety, occupational health, right-to-know and environmental protection."

Department issuing SDS:

W.R. Grace & Co. -Conn.
62 Whittemore Avenue
Cambridge, MA 02140 USA
USA: +1-617-876-1400 (24 hours)
+1-800-354-5414

Other Information:

There is sufficient information to conclude that the relative risk of lung cancer is increased in persons with silicosis. Therefore preventing the onset of silicosis will also reduce the cancer risk.

Date of preparation / last revision 06/10/2015 / -

The first date of preparation 05/29/2015

Number of revision times and the latest revision date 1.0 / 06/10/2015

USGHS