

Page: 1 of 8 Printed: 05/05/2015 Revision: 05/05/2015

Supersedes Revision: 03/18/2015

1. PRODUCT AND COMPANY IDENTIFICATION

Product Code: CU-6

Product Name: Dynasolve CU-6
Company Name: SWD URETHANE
539 S. Drew St.

539 S. Drew St. Mesa, AZ 85210,

Web site address: www.swdurethane.com

Emergency Contact: CHEMTREC

(800) 424-9300

2. HAZARDS IDENTIFICATION

Skin Corrosion/Irritation, Category 2

Serious Eye Damage/Eye Irritation, Category 2A

Specific Target Organ Toxicity (single exposure), Category 3

Toxic To Reproduction, Category 1B Acute Toxicity: Oral, Category 4





GHS Signal Word: Danger

GHS Hazard Phrases: H315 - Causes skin irritation.

H319 - Causes serious eye irritation. H335 - May cause respiratory irritation.

H360 - May damage fertility or the unborn child.

H302 - Harmful if swallowed.

GHS Precaution Phrases: P264 - Wash hands thoroughly after handling.

P280 - Wear protective gloves/protective clothing/eye protection/face protection.

P261 - Avoid breathing dust/fume/gas/mist/vapors/spray. P271 - Use only outdoors or in a well-ventilated area.

P201 - Obtain special instructions before use.

P202 - Do not handle until all safety precautions have been read and understood.

P281 - Use personal protective equipment as required. P270 - Do not eat, drink or smoke when using this product.

P273 - Avoid release to the environment. P233 - Keep container tightly closed.

P210 - Keep away from heat/sparks/open flames/hot surfaces. - No smoking.

P240 - Ground/bond container and receiving equipment.

P241 - Use explosion-proof electrical/ventilating/lighting/.../ equipment.

P243 - Take precautionary measures against static discharge.

P242 - Use only non-sparking tools.

GHS Response Phrases: P302+352 - IF ON SKIN: Wash with plenty of soap and water.

P332+313 - If skin irritation occurs, get medical advice/attention.

P305+351+338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove

contact lenses, if present and easy to do. Continue rinsing. P337+313 - If eye irritation persists, get medical advice/attention.

P304+340 - IF INHALED: Remove victim to fresh air and keep at rest in a position

comfortable for breathing.

P312 - Call a POISON CENTER/doctor if you feel unwell.

P308+313 - IF exposed or concerned: Get medical attention/advice.

P301+312 - IF SWALLOWED: Call a POISON CENTER or doctor/physician if you feel

Licensed to SWD Urethane: MIRS MSDS, (c) A V Systems, Inc.

GHS format



Page: 2 of 8 Printed: 05/05/2015

Revision: 05/05/2015

Supersedes Revision: 03/18/2015

unwell.

P330 - Rinse mouth.

P370+378 - In case of fire, use dry chemical, alcohol foam or water to extinguish. P303+361+353 - IF ON SKIN (or hair): Remove/take off immediately all contaminated

clothing. Rinse skin with water/shower.

P312 - Call a POISON CENTER or doctor/physician if you feel unwell.

P362 - Take off contaminated clothing and wash before re-use.

GHS Storage and Disposal

Phrases:

P403+233 - Store container tightly closed in well-ventilated place.

Potential Health Effects Prolonged or repeated skin contact may cause dermatitis.

(Acute and Chronic): Exposure to high concentrations may cause central nervous system depression.

Inhalation: Causes respiratory tract irritation. May cause headache. Material has a very low vapor

pressure at room temperature, so inhalation exposures are not expected unless material is heated or misted. May be harmful if inhaled. Inhalation of vapor may cause respiratory tract irritation. Vapors may cause dizziness or suffocation. Material may be irritating to

mucous membranes and upper respiratory tract.

May be harmful by inhalation, ingestion, or skin absorption.

Skin Contact: Causes skin irritation. May be harmful if absorbed through the skin. Not expected to

cause an allergic skin reaction. Because of the high permeability rate of

N-methylpyrrolidone in human skin, prolonged exposures should be avoided.

Eye Contact: Causes eye irritation. May cause temporary corneal clouding.

Ingestion: May cause gastrointestinal irritation with nausea, vomiting and diarrhea. Harmful if

swallowed. May cause irritation of the digestive tract.

3. COMPOSITION/INFORMATION ON INGREDIENTS

CAS#	Hazardous Components (Chemical Name)	Concentration				
872-50-4	N-Methyl-2-pyrrolidone {2-Pyrrolidinone, 1-Methyl-; 1-Methylazacyclopentan-2-one}	40.0 -60.0 %				
96-48-0	Butyrolactone {4-Hydroxybutyric acid gamma-lactone}	10.0 -30.0 %				
122-99-6	Ethylene glycol monophenyl ether {2-Phenoxy ethanol, (a glycol ether)}	10.0 -20.0 %				
763-69-9	Ethyl 3-ethoxypropionate {Popanoic acid, 3-ethoxy-,ethyl ester}	2.5 -10.0 %				
25498-49-1	Propanol, [2-(2-Methoxymethylethoxy)-	2.5 -10.0 %				
68412-54-4	Poly(oxy-1,2-ethanediyl),.alpha(nonylphenyl)o megahydroxy-, branched	2.5 -10.0 %				



Printed: 05/05/2015 Revision: 05/05/2015

Supersedes Revision: 03/18/2015

4. FIRST AID MEASURES

Emergency and First Aid

Procedures:

In Case of Inhalation: If inhaled, remove to fresh air. If not breathing, give artificial respiration. If breathing is

difficult, give oxygen. Get medical aid. Remove from exposure and move to fresh air

immediately. Consult a physician.

In case of contact, flush skin with plenty of water. Remove contaminated clothing and In Case of Skin Contact:

> shoes. Get medical aid if irritation develops and persists. Wash clothing before reuse. Flush skin with plenty of water for at least 15 minutes while removing contaminated clothing and shoes. Wash off with soap and plenty of water. Consult a physician.

Rinse thoroughly with plenty of water for at least 15 minutes and consult a physician. Get In Case of Eye Contact:

medical aid immediately.

In Case of Ingestion: Never give anything by mouth to an unconscious person. Get medical aid. Do NOT

induce vomiting. If victim is conscious and alert, give 2-4 cupfuls of milk or water. If

swallowed, wash out mouth with water provided person is conscious.

Signs and Symptoms Of

Exposure:

Nausea. Headache. Vomiting, To the best of our knowledge, the chemical, physical, and

toxicological properties have not been thoroughly investigated.

Note to Physician: Treat symptomatically and supportively. Consult a physician. Move out of dangerous

area.

5. FIRE FIGHTING MEASURES

Flash Pt: 89.00 C Method Used: Pensky-Marten Closed Cup LEL: No data. UEL: No data. **Explosive Limits:**

No data. Autoignition Pt:

Suitable Extinguishing Media: Use water spray, dry chemical, carbon dioxide, or appropriate foam.

Fire Fighting Instructions: Wear self contained breathing apparatus for fire fighting if necessary. Use water spray to

keep fire-exposed containers cool.

Flammable Properties and

Hazards:

No data available.

Hazardous Combustion

Products:

Hazardous decomposition products formed under fire conditions.

6. ACCIDENTAL RELEASE MEASURES

Protective Precautions,

Protective Equipment and **Emergency Procedures:**

Steps To Be Taken In Case

Material Is Released Or

Spilled:

Use proper personal protective equipment as indicated in Section 8.

Absorb spill with inert material (e.g. vermiculite, sand or earth), then place in suitable

container. Remove all sources of ignition. Provide ventilation.

7. HANDLING AND STORAGE

Handling:

Precautions To Be Taken in Use with adequate ventilation. Avoid contact with eyes, skin, and clothing.

Precautions To Be Taken in

Storing:

Keep away from sources of ignition. Store in a cool, dry place. Store in a tightly closed

container.

Licensed to SWD Urethane: MIRS MSDS, (c) A V Systems, Inc.

GHS format

Page: 3 of 8



Page: 4 of 8 Printed: 05/05/2015 Revision: 05/05/2015

Supersedes Revision: 03/18/2015

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

CAS# **OSHA TWA Other Limits Partial Chemical Name ACGIH TWA** No data. No data. No data. 872-50-4 N-Methyl-2-pyrrolidone {2-Pyrrolidinone, 1-Methyl-; 1-Methylazacyclopentan-2-one} 96-48-0 Butyrolactone {4-Hydroxybutyric acid No data. No data. No data. gamma-lactone} Ethylene glycol monophenyl ether No data. No data. No data. 122-99-6 {2-Phenoxy ethanol, (a glycol ether)} Ethyl 3-ethoxypropionate {Popanoic No data. No data. 763-69-9 No data acid, 3-ethoxy-,ethyl ester} 25498-49-1 No data. No data. No data. Propanol, [2-(2-Methoxymethylethoxy)methyletho xy]-No data. No data. 68412-54-4 Poly(oxy-1,2-ethanediyl),.alpha.-(nonylp No data. henyl)-.omega.-hydroxy-, branched

Respiratory Equipment Use re

Use respirators and components tested and approved under appropriate government

(Specify Type):

standards such as NIOSH (US) or CEN (EU).

Eye Protection: Wear appropriate protective eyeglasses or chemical safety goggles as described by

OSHA's eye and face protection regulations in 29 CFR 1910.133 or European Standard

EN166.

Protective Gloves: Wear appropriate gloves to prevent skin exposure.

Other Protective Clothing: Wear appropriate protective clothing to prevent skin exposure.

Engineering Controls

Facilities storing or utilizing this material should be equipped with an eyewash facility and

(Ventilation etc.):

a safety shower. Use adequate ventilation to keep airborne concentrations low.

Work/Hygienic/Maintenance

Practices:

Handle in accordance with good industrial hygiene and safety practice. Wash hands before breaks and at the end of workday. Wash contaminated clothing before reuse.

before breaks and at the end of workday. Wash containinated clothing before

Wash thoroughly after handling.

9. PHYSICAL AND CHEMICAL PROPERTIES

Physical States: [] Gas [X] Liquid [] Solid

Appearance and Odor: colorless.

solvent odor.

Melting Point: No data.

Boiling Point: 210.00 C

Flash Pt: 89.00 C Method Used: Pensky-Marten Closed Cup

Evaporation Rate: No data.

Flammability (solid, gas): No data available.

Explosive Limits: LEL: No data. UEL: No data.

Vapor Pressure (vs. Air or

mm Hg):

No data.

Vapor Density (vs. Air = 1): No data.

Specific Gravity (Water = 1): 1.0648

Solubility in Water: No data.

Solubility Notes: Completely miscible.



Page: 5 of 8 Printed: 05/05/2015 Revision: 05/05/2015

Supersedes Revision: 03/18/2015

Percent Volatile: No data.

Autoignition Pt: No data.

10. STABILITY AND REACTIVITY

Stability:Unstable []Stable [X]Conditions To Avoid -Excessive heat, ignition sources.

Instability:

Incompatibility - Materials To Strong oxidizing agents, Strong acids.

Avoid:

Hazardous Decomposition or irritating and toxic fumes and gases.

Byproducts:

Possibility of Hazardous

Will occur [] Will not occur [X]

Reactions:

Conditions To Avoid - No data available.

Hazardous Reactions:

11. TOXICOLOGICAL INFORMATION

Toxicological Information: CAS# 872-50-4:

Acute toxicity, LD50, Oral, Rat, 3914. MG/KG.

Results:

Behavioral: Food intake (animal).

Nutritional and Gross Metabolic:Weight loss or decreased weight gain.

- Arzneimittel-Forschung. Drug Research. (Editio Cantor Verlag,, Vol/p/yr: 26,1581,

1976

Acute toxicity, LD50, Skin, Species: Rabbit, 8.000 GM/KG.

Results:

Gastrointestinal:Nausea or vomiting.

Behavioral: Muscle weakness.

- Raw Material Data Handbook, Vol.1: Organic Solvents, 1974., National Assoc. of Printing Ink Research Institute, Francis McDonald Sinclair Memorial Labor, Lehigh Univ.,

Bethlehem, PA 18015, Vol/p/yr: 1,84, 1974

Carcinogenicity/Other

Information:

CAS# 872-50-4: Not listed by ACGIH, IARC, NTP, or CA Prop 65. CAS# 96-48-0: Not listed by ACGIH, IARC, NTP, or CA Prop 65. CAS# 122-99-6: Not listed by ACGIH,

IARC, NTP, or CA Prop 65.

IARC: No component of this product present at levels greater than or equal to 0.1% is

identified as probable, possible or confirmed human carcinogen by IARC.

ACGIH: No component of this product present at levels greater than or equal to 0.1% is

identified as a carcinogen or potential carcinogen by ACGIH.

NTP: No component of this product present at levels greater than or equal to 0.1% is

identified as a known or anticipated carcinogen by NTP.

OSHA: No component of this product present at levels greater than or equal to 0.1% is

identified as a carcinogen or potential carcinogen by OSHA.

CAS# 763-69-9: Not listed by ACGIH, IARC, NTP, or CA Prop 65.

Licensed to SWD Urethane: MIRS MSDS, (c) A V Systems, Inc.

GHS format



Page: 6 of 8 Printed: 05/05/2015

Revision: 05/05/2015

Supersedes Revision: 03/18/2015

CAS#	Hazardous Components (Chemical Name)	NTP	IARC	ACGIH	OSHA
872-50-4	N-Methyl-2-pyrrolidone {2-Pyrrolidinone, 1-Methyl-; 1-Methylazacyclopentan-2-one}	n.a.	n.a.	n.a.	n.a.
96-48-0	Butyrolactone {4-Hydroxybutyric acid gamma-lactone}	n.a.	3	n.a.	n.a.
122-99-6	Ethylene glycol monophenyl ether {2-Phenoxy ethanol, (a glycol ether)}	n.a.	n.a.	n.a.	n.a.
763-69-9	Ethyl 3-ethoxypropionate {Popanoic acid, 3-ethoxy-,ethyl ester}	n.a.	n.a.	n.a.	n.a.
25498-49-1	Propanol, [2-(2-Methoxymethylethoxy)methylethoxy]-	n.a.	n.a.	n.a.	n.a.
68412-54-4	Poly(oxy-1,2-ethanediyl),.alpha(nonylphenyl)omegahydr oxy-, branched	n.a.	n.a.	n.a.	n.a.

12. ECOLOGICAL INFORMATION

General Ecological

Information:

Environmental: No information available.

CAS# 122-99-6: LC50, Fathead Minnow (Pimephales promelas), 344000. UG/L, 96 H, Mortality, Water

temperature: 26.60 C C, pH: 7.60, Hardness: 45.00 MG/L; Acute Toxicities of Organic Chemicals to Fathead Minnows (Pimephales promelas), Vol. 1, Brooke, L.T., D.J. Call,

D.L. Geiger, and C.E. Northcott, 1984

Bioaccumulative Potential: Indication of bioaccumulation.

Mobility in Soil: No data available.

13. DISPOSAL CONSIDERATIONS

Waste Disposal Method: Dispose of in accordance with all applicable local, state and federal regulations.

14. TRANSPORT INFORMATION

GHS Classification: Skin Corrosion/Irritation, Category 2 - Warning! Causes skin irritation

Serious Eye Damage/Eye Irritation, Category 2A - Warning! Causes serious eye irritation

Specific Target Organ Toxicity (single exposure), Category 3 - Warning! May cause

respiratory irritation, or may cause drowsiness and dizziness

Toxic To Reproduction, Category 1B - Danger! May damage fertility or the unborn child

Acute Toxicity: Oral, Category 4 - Warning! Harmful if swallowed

LAND TRANSPORT (US DOT):

DOT Proper Shipping Name: Not regulated as a hazardous material.

DOT Hazard Class: UN/NA Number:

LAND TRANSPORT (Canadian TDG):

TDG Shipping Name: Not regulated as a hazardous material.

UN Number:

Hazard Class: TDG Classification:

AIR TRANSPORT (ICAO/IATA):

ICAO/IATA Shipping Name: Not regulated as a hazardous material.

Licensed to SWD Urethane: MIRS MSDS, (c) A V Systems, Inc.

GHS format



Page: 7 of 8 Printed: 05/05/2015

Revision: 05/05/2015 Supersedes Revision: 03/18/2015

15. REGI	JLATORY I	INFORMATION

	15. REGULATOR	TINFORMA	IUN						
EPA SARA (Superfund Amendments and Reauthorization Act of 1986) Lists									
CAS#	Hazardous Components (Chemical Name)	S. 302 (EHS)	S. 304 RQ	S. 313 (TRI)					
872-50-4	N-Methyl-2-pyrrolidone {2-Pyrrolidinone, 1-Methyl-; 1-Methylazacyclopentan-2-one}	No	No	Yes					
96-48-0	Butyrolactone {4-Hydroxybutyric acid gamma-lactone}	No	No	No					
122-99-6	Ethylene glycol monophenyl ether {2-Phenoxy ethanol, (a glycol ether)}	No	No	Yes-Cat. N230					
763-69-9	Ethyl 3-ethoxypropionate {Popanoic acid, 3-ethoxy-,ethyl ester}	No	No	No					
25498-49-1	Propanol, [2-(2-Methoxymethylethoxy]-	No	No	No					
68412-54-4	Poly(oxy-1,2-ethanediyl),.alpha(nonylphenyl)o megahydroxy-, branched	No	No	No					
CAS#	Hazardous Components (Chemical Name)	Other US EPA or State Lists							
872-50-4	N-Methyl-2-pyrrolidone {2-Pyrrolidinone, 1-Methyl-; 1-Methylazacyclopentan-2-one}	CAA HAP,ODC: No; CWA NPDES: No; TSCA: Yes - Inventory, 4 Test, 12(b); CA PROP.65: Yes; CA TAC, Title 8: No; MA Oil/HazMat: No; MI CMR, Part 5: No; NC TAP: No; NJ EHS: Yes - 3716; NY Part 597: No; PA HSL: Yes - 1; SC TAP: No; WI Air: No							
96-48-0	Butyrolactone {4-Hydroxybutyric acid gamma-lactone}	CAA HAP,ODC: No; CWA NPDES: No; TSCA: Yes - Inventory; CA PROP.65: No; CA TAC, Title 8: No; MA Oil/HazMat: No; MI CMR, Part 5: No; NC TAP: No; NJ EHS: No; NY Part 597: No; PA HSL: No; SC TAP: No; WI Air: No							
122-99-6	Ethylene glycol monophenyl ether {2-Phenoxy ethanol, (a glycol ether)}	CAA HAP,ODC: HAP; CWA NPDES: No; TSCA: Yes - Inventory; CA PROP.65: No; CA TAC, Title 8: TAC; MA Oil/HazMat: No; MI CMR, Part 5: Part 5; NC TAP: Yes - Cat.; NJ EHS: Yes - Cat.; NY Part 597: No; PA HSL: Yes - c; SC TAP: Yes - Cat.; WI Air: Yes - Cat.							
763-69-9	Ethyl 3-ethoxypropionate {Popanoic acid, 3-ethoxy-,ethyl ester}	CAA HAP,ODC: No; CWA NPDES: No; TSCA: Yes - Inventory; CA PROP.65: No; CA TAC, Title 8: No; MA Oil/HazMat: No; MI CMR, Part 5: No; NC TAP: No; NJ EHS: No; NY Part 597: No; PA HSL: No; SC TAP: No; WI Air: No							
25498-49-1	Propanol, [2-(2-Methoxymethylethoxy)methylethoxy]-	CAA HAP,ODC: No; CWA NPDES: No; TSCA: Yes - Inventory, 8D TERM; CA PROP.65: No; CA TAC, Title 8: No; MA Oil/HazMat: No; MI CMR, Part 5: No; NC TAP: No; NJ EHS: No; NY Part 597: No; PA HSL: No; SC TAP: No; WI Air: No							
68412-54-4	Poly(oxy-1,2-ethanediyl),.alpha(nonylphenyl)o megahydroxy-, branched	CAA HAP,ODC: No; CWA NPDES: No; TSCA: Yes - Inventory; CA PROP.65: No; CA TAC, Title 8: No; MA Oil/HazMat: No; MI CMR, Part 5: No; NC TAP: No; NJ EHS: No; NY Part 597: No; PA HSL: No; SC TAP: No; WI Air: No							
CAS#	Hazardous Components (Chemical Name)	International Reg	ulatory Lists						
872-50-4	N-Methyl-2-pyrrolidone {2-Pyrrolidinone, 1-Methyl-; 1-Methylazacyclopentan-2-one}	Canadian DSL: Ye	es; Canadian NDSL: I	No					
96-48-0	Butyrolactone {4-Hydroxybutyric acid gamma-lactone}	Canadian DSL: Yes; Canadian NDSL: No							
122-99-6	Ethylene glycol monophenyl ether {2-Phenoxy ethanol, (a glycol ether)}	Canadian DSL: Yes; Canadian NDSL: No							
763-69-9	Ethyl 3-ethoxypropionate {Popanoic acid,	Canadian DSL: Yes; Canadian NDSL: No							



Page: 8 of 8 Printed: 05/05/2015

Revision: 05/05/2015

Supersedes Revision: 03/18/2015

3-ethoxy-,ethyl ester}

25498-49-1 Propanol, Canadian DSL: Yes; Canadian NDSL: No

[2-(2-Methoxymethylethoxy)methylethoxy]-

68412-54-4 Poly(oxy-1,2-ethanediyl),.alpha.-(nonylphenyl)-.o Canadian DSL: Yes; Canadian NDSL: No

mega.-hydroxy-, branched

16. OTHER INFORMATION

Revision Date: 05/05/2015

Hazard Rating System:





HMIS:

Additional Information About No data available.

This Product:

Company Policy or Disclaimer: While the information and recommendations in this publication are given to the best of our knowledge, and information at the date of publication, nothing herein is to be construed as a warranty, expressed or otherwise. In all cases, it is the responsibility of the user to determine the applicability of such information, and recommendations or the suitability of any product for its own particular purpose.

The product may present hazards and should be used with caution. While certain hazards are described in this Safety Data Sheet, no guarantee is made that these are the only hazards that exist. Hazards, toxicity and behavior of the products may differ when used with other materials and are dependent upon the manufacturing circumstances or other processes. Such hazards, toxicity and behavior should be determined by the user and made known to handlers, processors and end users.

NO PERSON OR ORGANIZATION EXCEPT A DULY AUTHORIZED SWD EMPLOYEE SHALL PROVIDE, OR MAKE AVAILABLE, DATA SHEETS FOR SWD PRODUCTS. DATA SHEETS FROM UNAUTHORIZED SOURCES MAY CONTAIN INFORMATION THAT IS NO LONGER CURRENT OR ACCURATE. NO PART OF THIS DATA SHEET MAY BE REPRODUCED OR TRANSMITTED IN ANY FORM, OR BY ANY MEANS, WITHOUT THE WRITTEN PERMISSION OF SWD. ALL REQUESTS FOR PERMISSION TO REPRODUCE MATERIAL FROM THIS DATA SHEET OR QUESTIONS REGARDING THIS DATA SHEET SHOULD BE DIRECTRED TO SWD AT 800-828-1394.

Licensed to SWD Urethane: MIRS MSDS, (c) A V Systems, Inc.