



SAFETY DATA SHEET – B SIDE

SECTION 1: PRODUCT & COMPANY INFORMATION

Supplier / Manufacturer:

Demilec Inc.

3315 E. Division Street, Arlington, TX 76011 Phone: 817-640-4900 / Fax: 817-633-2000 E-mail: Info@Demilec.com / Website: www.Demilec.com

GHS Product Identifier: Heatlok® Eco B-side Chemical Name: Polyurethane Resin / B-side

Product Type: Liquid

Identified Use: Component B of a Spray-Applied Polyurethane System

Emergency Telephone in USA: CHEMTREC 800-424-9300. In Canada: CANUTEC 613-996-6666 or *666 (cellular).

SECTION 2: HAZARDS IDENTIFICA	TION					
OSHA / HCS Status	material is classified hazardous under OSHA Hazard Communication Standard CFR 1910.1200).					
Classification of the Substance or Mixture	rious eye damage / eye irritation - Category 2A					
GHS LABEL ELEMENTS INCLUD	ING PRECAUTIONARY STATEMENTS					
Hazard Pictograms						
Signal Word	Warning					
Hazard Statements	H319 - Causes serious eye irritation.					
PRECAUTIONARY STATEMENTS	PRECAUTIONARY STATEMENTS					
Prevention	P280 - Wear eye or face protection P264 - Wash hands thoroughly after handling.					
Response	P350 + P351 + P338 - If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. P337 + 313 - If eye irritation persists: Get medical attention.					
Storage	Store locked up.					
Disposal	Not applicable.					
HAZARDS NOT OTHERWISE CLASSIFIED (HNOC)						
Physical Hazards Not Otherwise Classified (PHNOC)	None known.					
Health Hazards Not Otherwise Classified (HHNOC)	None known.					

Otherwise Classified (HHIV	00)					
SECTION 3: COMPOSITION /	INFORMATION ON INGREDIENTS					
Substance / Mixture	Mixture	lixture				
Chemical Name	Polyurethane Resin B-side	Polyurethane Resin B-side				
CAS NUMBER / OTHER ID	ENTIFIERS					
CAS Number	Not applicable.	Not applicable.				
Product Code	Not available.	Not available.				
INGREDIENTS		CAS#	%			
1,1,1,3,3-Pentafluoropropane	9	460-73-1	5 - 10			
Tris (2-chloro-1-methylethy	/l) Phosphate	13674-84-5 5 - 10				
Triethyl Phosphate		78-40-0	1 - 5			
Trans-dichloroethylene		156-60-5	1 - 5			
Ethanediol		107-21-1	1 - 5			
2,2-Oxibisethanol		111-46-6	1 - 5			
N,N,N',N',N",N"-Hexamethy	l-1,3,5-triazine-1,3,5(2H,4H,6H)-tripropanamine	15875-13-5	1 - 5			
315 F Division Street Arlingtor	1 TX 76011		Heatlok Eco B-side Safety Data S			

Any concentration shown as a range is to protect confidentiality or is due to batch variation.

There are no additional ingredients present which, within the current knowledge of the supplier and in the concentrations applicable, are classified as hazardous to health or the environment and hence require reporting in this section.

Occupational exposure limits, if available, are listed in Section 8.

SECTION 4: FIRST AID MEASUR	ES
DESCRIPTION OF NECESSAR	Y FIRST AID MEASURES
Eye Contact	Immediately flush eyes with plenty of water, occasionally lifting the upper and lower eyelids. Check for and remove any contact lenses. Continue to rinse for at least 20 minutes. Get medical attention.
Inhalation	Remove victim to fresh air and keep at rest in a position comfortable for breathing. If not breathing, if breathing is irregular or if respiratory arrest occurs, provide artificial respiration or oxygen by trained personnel. Maintain an open airway. Get medical attention if symptoms occur.
Skin Contact	Flush contaminated skin with plenty of water. Get medical attention if symptoms occur. Wash clothing before reuse. Clean shoes thoroughly before reuse.
Ingestion	Wash out mouth with water. If material has been swallowed and the exposed person is conscious, give small quantities of water to drink. Do not induce vomiting unless directed to do so by medical personnel. Never give anything by mouth to an unconscious person. Get medical attention if symptoms occur.
MOST IMPORTANT SYMPTON	AS / EFFECTS, ACUTE AND DELAYED
POTENTIAL ACUTE HEALTH	EFFECTS
Eye Contact	Causes serious eye irritation.
Inhalation	Exposure to decomposition products may cause a health hazard. Serious effects may be delayed following exposure.
Skin Contact	No known significant effects or critical hazards.
Ingestion	Irritating to mouth, throat and stomach.
OVER-EXPOSURE SIGNS / SY	/MPTOMS
Eye Contact	Adverse symptoms may include the following: pain or irritation, watering, redness.
Inhalation	No known significant effects or critical hazards.
Skin Contact	No known significant effects or critical hazards.
Ingestion	No known significant effects or critical hazards.
INDICATION OF IMMEDIATE	MEDICAL ATTENTION AND SPECIAL TREATMENT NEEDED, IF NECESSARY
Notes to Physician	In case of inhalation of decomposition products in a fire, symptoms may be delayed. The exposed person may need to be kept under medical surveillance for 48 hours.
Specific Treatments	No specific treatment.
Protection of First-aiders	No action shall be taken involving any personal risk or without suitable training. It may be dangerous to the person providing aid to give mouth-to-mouth resuscitation.
See toxicological information	(Section 11)

SECTION 5: FIRE FIGHTING MEASURES						
Suitable Extinguishing Media	se dry chemical, CO2, water spray (fog) or foam.					
Unsuitable Extinguishing Media	lone known.					
Specific Hazards Arising from the Chemical	No specific fire or explosion hazard.					
Hazardous Thermal Decomposition Products	Combustion products may include carbon monoxide, carbon dioxide, nitrogen oxides, halogenated compounds, traces of ammonia vapors, phosphoric oxides, aldehydes and ketones, low molecular weight organic products, noxious and toxic fumes.					
Special Protective Actions for Fire Fighters	No special measures are required.					
Special Protective Equipment for Fire Fighters	Fire-fighters should wear appropriate protective equipment and self-contained breathing apparatus (SCBA) with a full face-piece operated in positive pressure mode.					

SECTION 6: ACCIDENTAL RELEASE MEASURES						
PERSONAL PRECAUTIONS, PROTECTIVE EQUIPMENT AND EMERGENCY PROCEDURES						
For Non-emergency Personnel	emergency Personnel Put on appropriate personal protective equipment.					
For Emergency Responders If specialized clothing is required to deal with the spillage, take note of any information in Sect suitable and unsuitable materials. See also the information in "For Non-emergency Personnel".						

	Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers. Inform the relevant authorities if the product has caused environmental pollution (sewers, waterways, soil or air).
--	---

METHODS AND MATERIALS FOR CONTAINMENT AND CLEANING UP Stop leak if without risk. Move containers from spill area. Approach release from upwind. Prevent entry into sewers, water courses, basements or confined areas. Wash spillages into an effluent treatment plant or proceed as follows. Contain and collect spillage with non-combustible, absorbent material e.g. sand, earth, vermiculite or diatomaceous earth and place in container for disposal according to local regulations (see Section 13). Dispose of via a licensed waste disposal contractor. Contaminated absorbent material may pose the same hazard as the spilled product. Note: see Section 1 for emergency contact information and Section 13 for waste disposal.

SECTION 7: HANDLING & STORAGE						
PRECAUTIONS FOR SAFE HANDLING						
Storage Temperature	50 - 80°F (10 - 27°C)					
Storage Life	6 months					
Protective Measures	Put on appropriate personal protective equipment (see Section 8). Do not ingest. Avoid contact with eyes, skin and clothing. Avoid breathing vapor or mist. Keep in the original container or an approved alternative made from a compatible material, kept tightly closed when not in use. Empty containers retain product residue and can be hazardous. Do not reuse container.					
Advice on General Occupational Hygiene	Eating, drinking and smoking should be prohibited in areas where this material is handled, stored and processed. Workers should wash hands and face before eating, drinking and smoking. See also Section 8 for additional information on hygiene measures.					
Conditions for Safe Storage Including any Incompatibilities	Store in accordance with local regulations. Store in original container protected from direct sunlight in a dry, cool and well-ventilated area, away from incompatible materials (see Section 10) and food and drink. Keep container tightly closed and sealed until ready for use. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Do not store in unlabeled containers. Use appropriate containment to avoid environmental contamination.					

SECTION 8: EXPOSURE CONTROL / PERSONAL PROTECTION					
CONTROL PARAMETERS - UNITED STATES					
OCCUPATIONAL EXPOSURE LIMITS					
Ingredient Name	Occupational Exposure Limit Values				
1,1,1,3,3-Pentafluoropropane	AIHA WEEL (United States, 10/2011) TWA: 300 ppm 8 hours				
Triethyl Phosphate	AIHA WEEL (United States, 10/2011) TWA: 7.45 mg/m³ 8 hours				
Trans-dichloroethylene	ACGIH TLV (United States, 4/2014) TWA: 200 ppm 8 hours TWA: 793 mg/m³ 8 hours				
Ethanediol ACGIH TLV (United States, 4/2014)	C: 100 mg/m³ Form: Aerosol OSHA PEL 1989 (United States, 3/1989) CEIL: 125 mg/m³ CEIL: 50 ppm				
2,2-Oxibisethanol	AIHA WEEL (United States, 5/2010) TWA: 10 mg/m³ 8 hours				

CONTROL PARAMETERS - CANADA

OCCUPATIONAL EXPOSURE LIMITS		TWA (8 HOURS)			STEL (15 MINS)			CEILING			
Ingredient Name	List Name	ppm	mg/m³	other	ppm	mg/m³	other	ppm	mg/m³	other	notes
	US ACGIH 4/2014	200	793	-	-	-	-	-	-	-	
Trans-dichloroethylene	AB 4/2009	200	793	-	-	-	-	-	-	-	
	BC 7/2013	200	-	-	-	-	-	-	-	-	
	ON 1/2013	200	793	-	-	-	-	-	-	-	
	QC 1/2014	200	793	-	-	-	-	-	-	-	
1,1,1,3,3- Pentafluoropropane	US AIHA 10/2011	300	-	-	-	-	-	-	_	-	

	US ACGIH 4/2014	-	-	-	-	-	-	-	100	-	(a)
	AB 4/2009	-	-	-	-	-	-	_	100	-	(3) (a)
		-	-	_	-	-	-	_	100	-	(a)
Ethanediol	BC 7/2013	-	10	-	-	20	-	-	-	_	(b)
		-	_	-	-	-	-	50	-	-	(c)
	ON 1/2013	-	-	-	-	-	-	-	100	_	(a)
	QC 1/2014	-	-	-	50	127	-	_	-	-	(d)
2,2-Oxibisethanol	US AIHA 5/2010	-	10	-	-	-	-	-	-	_	
Triethyl Phosphate	US AIHA 10/2011	-	7.45	-	-	-	-	_	-	-	
	AB 4/2009	-	10	-	-	-	-	_	-	-	(3) (e)
	DC 7/2017	-	10	-	-	-	-	_	-	-	(e)
Glycerol	BC 7/2013	-	3	-	-	-	-	_	-	-	(f)
	ON 1/2013	-	10	-	-	-	-	_	-	_	(g)
	QC 1/2014	-	10	-	-	-	-	_	-	_	(e)
(3) Skin sensitization. Form:	(a) Aerosol. (b) Pai	rticulate. (c) Vapor.	(d) Vapor	and Mist.	(e) Mist.	(f) Respira	able Mist. ((g) Inhalak	ole Fractio	on.
Appropriate Engineering Controls	Good general ven	tilation sh	ould be su	ıfficient to	control w	vorker exp	oosure to	airborne c	ontamina	nts.	
Environmental Exposure Controls	Emissions from ve requirements of e	entilation on nvironmer	or work pr ntal protec	ocess equ ction legisl	ipment sh ation.	ould be c	hecked to	ensure th	ney compl	y with the	•
INDIVIDUAL PROTECTION	MEASURES										
Hygiene Measures	Wash hands, forearms and face thoroughly after handling chemical products, before eating, smoking and using the lavatory and at the end of the working period. Appropriate techniques should be used to remove potentially contaminated clothing. Wash contaminated clothing before reusing. Ensure that eyewash stations and safety showers are close to the workstation location.										
Eye/Face Protection	is necessary	Safety eyewear complying with an approved standard should be used when a risk assessment indicates this is necessary to avoid exposure to liquid splashes, mists, gases or dusts. If contact is possible, the following protection should be worn, unless the assessment indicates a higher degree of protection: chemical splash goggles.									
Hand Protection	Chemical-resi handling cher								be worn a	t all times	when
Body Protection	Personal protrisks involved									rformed a	and the
Other Skin Protection	Appropriate f	ootwear a	and any ad s involved	ditional ski and should	n protecti I be appro	on measu oved by a s	res should specialist k	be selecte before han	ed based o	n the task product.	being
Respiratory Protection	Use a properly fitted, air-purifying or supplied air respirator complying with an approved standard if a risk assessment indicates this is necessary. Respirator selection must be based on known or anticipated exposure levels, the hazards of the product and the safe working limits of the selected respirator.										
SECTION 9: PHYSICAL & CHE	MICAL PROPERTIES										
Physical State	Liquid	Liquid									
Color	Amber	Amber									
Odor	Faint ether oc	Faint ether odor									
Odor Threshold	Not available										
рН	Not available										
M III D I I		Net available									

Physical State	Liquid
Color	Amber
Odor	Faint ether odor
Odor Threshold	Not available
рН	Not available
Melting Point	Not available
Boiling Point	Not available
Flash Point	Closed cup: > 200°F (93°C) (Pensky-Martens)
Evaporation Rate	Not available
Flammability (solid, gas)	Not available
Lower and Upper Explosive (flammable) Limits	Not available
Vapor Pressure	Not available
Vapor Density	Not available
Specific Gravity @ 77°F (25°C)	1.14
Solubility	Moderately soluble in water

Partition Coefficient: N-Octanol/Water	Not available
Auto-Ignition Temperature	Not available
Decomposition Temperature	Not available
Viscosity @ 77°F (25°C)	Summer = 800 cps Winter = 500 cps
Volatility	Not available

SECTION 10: STABILITY & REACTIVITY					
Reactivity	specific test data related to reactivity available for this product or its ingredients.				
Chemical Stability	The product is stable.				
Possibility of Hazardous Reactions	Under normal conditions of storage and use, hazardous reactions will not occur.				
Conditions to Avoid	Avoid exposure to moisture and high temperatures to protect product quality.				
Incompatible Materials	Strong oxidizing materials, strong acids and alkali or alkaline earth metals (aluminum, zinc, beryllium and copper). Avoid unintended contact with isocyanates.				
Hazardous Decomposition Products	Decomposition products may include carbon monoxide, carbon dioxide, nitrogen oxides, halogenated compounds, traces of ammonia vapors, phosphoric oxides, aldehydes and ketones, low molecular weight organic products, noxious and toxic fumes.				

ACUTE TOXICITY						
Product / Ingredient Name	Endpoint	Species	Result	Result		
1,1,1,3,3-Pentafluoropropane	LC50 Inhalation Vapor	Rat	> 1,110 mg/l		4 hours	
i,i,i,3,3-Peritariuoroproparie	LD50 Dermal	Rabbit	> 2,000 mg/kg		-	
	LC50 Inhalation Dusts & Mists	Rat	17.8 mg/l	1 hour		
Tris (2-chloro-1-methylethyl)	LC50 Inhalation Dusts & Mists	Rat	5 mg/l		4 hours	
Phosphate	LD50 Dermal	Rabbit	1,230 mg/k	1,230 mg/kg		
	LD50 Oral	Rat	1,500 mg/k	(g	-	
Triethyl Phosphate	LD50 Oral	Rat	1,165 mg/kg	9	-	
Trans-dichloroethylene	LC50 Inhalation Gas	Rat	24,100 ppn	n	4 hours	
	LD50 Dermal	Rabbit	> 5 g/kg		-	
	LD50 Oral	Rat	1,235 mg/k	1,235 mg/kg		
Ethanediol	LD50 Oral	Rat	4,700 mg/	4,700 mg/kg		
	LD50 Dermal Rabbit 11,890 mg/k		kg	-		
2,2-Oxibisethanol	LD50 Oral	Rat	12,000 mg,	/kg	-	
IRRITATION / CORROSION					!	
Product / Ingredient Name	Result	Species	Score	Exposure	Observation	
Triethyl Phosphate	Eyes - Moderate irritant	Rabbit	_	100 mg	-	
Tuese dielelese ethodese	Eyes - Moderate irritant	Rabbit	-	10 mg	-	
Trans-dichloroethylene	Skin – Moderate irritant	Rabbit	- 24 h 500 mg		-	
	Eyes - Mild irritant	Rabbit	- 24 h 500 mg		-	
EU P. I	Eyes - Mild irritant	Rabbit	-	1 h 100 mg	-	
Ethanediol	Eyes - Moderate irritant	Rabbit	-	6 h 1440 mg	-	
	Skin - Mild irritant	Rabbit	- 555 mg		_	
	Eyes - Mild irritant	Rabbit	-	50 mg	-	
2,2-Oxibisethanol	Skin - Mild irritant	Human	-	72 h 112 mg Intermittent	-	
	Skin - Mild irritant Rabbit -		500 mg	-		
SENSITIZATION		.		-	•	

CARCINOGENICITY									
CLASSIFICATION									
Ingredient	OSHA	OSHA IARC		ACGIH	EPA	NIOSH			
Ethanediol	-	-	NTP -	A4		None			
2.2-Oxibisethanol	_		_	-	_	None			
SPECIFIC TARGET ORGAN TO	XICITY (SINGLE F	(XPOSURE)				THOTIC			
Product / Ingredient Name	Category		Route of F	Route of Exposure Target Organs					
1,1,1,3,3-Pentafluoropropane	Category 3		Not applic		Narcotic eff				
SPECIFIC TARGET ORGAN TO		D EXPOSURE)	ттог аррие	Japie	Transcotic cir				
There is no data available.									
ASPIRATION HAZARD									
There is no data available.									
INFORMATION ON THE LIKEL	Y ROUTES OF EXI	POSURF							
Dermal contact. Eye contact. In									
POTENTIAL ACUTE HEALTH									
Eye Contact	Causes serious	eve irritation							
Inhalation	+		oducts may caus	e a health hazard. Se	rious effects may l	be delayed following			
Skin Contact	<u> </u>	ificant effects o	r critical hazards.						
Ingestion		No known significant effects or critical hazards. Irritating to mouth, throat and stomach.							
SYMPTOMS RELATED TO THE		·		IARACTERISTICS					
Eye Contact				pain or irritation, wate	ering, redness,				
Inhalation		No known significant effects or critical hazards.							
Skin Contact		No known significant effects or critical hazards.							
Ingestion		No known significant effects or critical hazards.							
DELAYED AND IMMEDIATE E	FFECTS AND ALSO	O CHRONIC EFF	FECTS FROM SHO	ORT AND LONG TER	M EXPOSURE				
SHORT TERM EXPOSURE									
Potential Immediate Effects	No known sign	No known significant effects or critical hazards.							
Potential Delayed Effects	No known sign	No known significant effects or critical hazards.							
LONG TERM EXPOSURE									
Potential Immediate Effects	No known sign	ificant effects o	r critical hazards.						
Potential Delayed Effects			r critical hazards.						
POTENTIAL CHRONIC HEALT									
General	No known sign	ificant effects o	r critical hazards.						
Carcinogenicity	No known sign	ificant effects o	r critical hazards.						
Mutagenicity	No known sign	No known significant effects or critical hazards.							
Teratogenicity	No known sign	No known significant effects or critical hazards.							
Developmental Effects	No known sign	No known significant effects or critical hazards.							
Fertility Effects	No known sign	ificant effects o	r critical hazards.						
NUMERICAL MEASURES OF T	OXICITY - ACUTE	TOXICITY ESTI	MATES						
Route	ATE Value								
Oral	5632.4 mg/kg	5632.4 mg/kg							
Dermal	68750 mg/kg								

392.9 mg/l

Inhalation (vapors)

SECTION 12: ECOLOGICAL INFO	RMATION					
TOXICITY					T	
Product / Ingredient Name	Result	Result			Exposure	
1,1,1,3,3-Pentafluoropropane	Acute EC50 > 97.9 mg/l		Daphnia		48 hours	
,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,	Acute EC50 > 81.8 mg/l		Fish		96 hours	
Triethyl Phosphate	Acute LC50 100 mg/l fresh water		Fish - Pimephales promelas (fledgling, hatchling, weanlin		96 hours	
Trans-dichloroethylene	Acute LC50 220,000 Qg/l fresh wa	ter	Daphnia - Daphnia magna		48 hours	
	Acute LC50 100,000 Qg/l marine w	/ater	Crustaceans - Crangon cran	gon - Adult	48 hours	
Ethanediol	Acute LC50 10,000,000 Qg/l fresh	water	Daphnia - Daphnia magna		48 hours	
	Acute LC50 8,050,000 Qg/l fresh v	vater	Fish - Pimephales promelas		96 hours	
2,2-Oxibisethanol	Acute LC50 32,000 ppm fresh water	er	Fish - Gambusia affinis - Ad	ult	96 hours	
PERSISTENCE AND DEGRADA	ABILITY					
Product / Ingredient Name	Aquatic Half-life	Photo	lysis	Biodegradab	ility	
Ethanediol	-	-		Readily		
BIOACCUMULATIVE POTENTI	AL	•				
Product / Ingredient Name	LogPow	LogPow BCF Potential				
Tris (2-chloro-1-methylethyl) Phosphate	2.68 0.8 - 2.8		Low			
Triethyl Phosphate	1.11 < 1.3 Low					
Trans-dichloroethylene	2.09	2.09 - Low				
Ethanediol	-1.36	-1.36 -		Low		
2,2-Oxibisethanol	-1.98	Low				
MOBILITY IN SOIL		•				
Soil/Water Partition Coefficient (Koc)						
Other Adverse Effects	No known significant effects of critical hazards.					
SECTION 13: DISPOSAL CONSIDE	ERATION					
Disposal Methods	The generation of waste should be avoided or minimized wherever possible. Disposal of this product, solutions and any by-products should comply with the requirements of environmental protection and waste disposal legislation and any regional local authority requirements. Dispose of surplus and non-recyclable products via a licensed waste disposal contractor. Waste should not be disposed of untreated to the sewer unless fully compliant with the requirements of all authorities with jurisdiction. Waste packaging should be recycled. Incineration or landfill should only be considered when recycling is not feasible. This material and its container must be disposed of in a safe way. Care should be taken when handling empty containers that have not been cleaned or rinsed out. Empty containers or liners may retain some product residues. Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers.					

Disposal Methods	unless fully compliant with the requirements of all authorities with jurisdiction. Waste packaging should be recycled. Incineration or landfill should only be considered when recycling is not feasible. This material and its container must be disposed of in a safe way. Care should be taken when handling empty containers that have not been cleaned or rinsed out. Empty containers or liners may retain some product residues. Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers.					
UNITED STATES - RCRA TOXIC HAZARDOUS WASTE "U" LIST						
Product / Ingredient Name	CAS # Status Reference Number					
Trans-dichloroethylene	156-60-5 Listed U079					

SECTION 14: TRANSPORTATION INFORMATION					
DOT					
UN Number	Not regulated				
UN Proper Shipping Name	-				
Transport Hazard Class(es)	-				
Packing Group	-				
Environmental Hazard	No				
Additional Information	-				
TDG					
UN Number	Not regulated				
UN Proper Shipping Name	-				

Transport Hazard Class(es)	-
Packing Group	-
Environmental Hazard	No
Additional Information	-
IMDG	
UN Number	Not regulated
UN Proper Shipping Name	-
Transport Hazard Class(es)	-
Packing Group	-
Environmental Hazard	No
Additional Information	-
IATA	
UN Number	Not regulated
UN Proper Shipping Name	-
Transport Hazard Class(es)	-
Packing Group	-
Environmental Hazard	No
Additional Information	-
AERG: Not applicable.	
Special Precautions for User	Transport within user's premises: Always transport in closed containers that are upright and secure. Ensure that persons transporting the product know what to do in the event of an accident or spillage.
Transport in Bulk According to Annex II of MARPOL 73/78 and the IBC Code	Not available

SECTION 15: REGULATORY INFORMATION						
UNITED STATES						
U.S. Federal Regulations	TSCA 8(a) PAIR: 2,2-Dimethylpropan-1-ol, tribromo derivative; Triethyl phosphate; Octamethylcyclotetrasiloxane. TSCA 8(c) calls for record of SAR: Triethyl phosphate. United States inventory (TSCA 8b): All components are listed or exempted. Clean Water Act (CWA) 307: Trans-dichloroethylene.					
Clean Air Act Section 112 (b) Hazardous Air Pollutants (HAPs)	Listed					
Clean Air Act Section 602 Class I Substances	Not listed					
Clean Air Act Section 602 Class II Substances	Not listed					
DEA List I Chemicals (Precursor Chemicals)	Not listed					
DEA List II Chemicals (Essential Chemicals)	Not listed					
SARA 302/304	No products were found					
SARA 304 RQ	Not applicable					
SARA 311/312						
CLASSIFICATION						
Immediate (acute) health hazard						

COMPOSITION / INFORMATION	N ON INGR	EDIENTS								
Product / Ingredient Name	%		re Hazard	Sudden Release of Pressure		Reactive	(a	nmediate icute) Health azard	Delayed (chronic) Health Hazard	
1,1,1,3,3-Pentafluoropropane	5 - 10	No)	Yes		No	Ye	es	No	
Tris (2-chloro-1-methylethyl) Phosphate	5 - 10	No)	No		No	Ye	es	No	
Triethyl Phosphate	1 - 5	No)	No		No	Ye	es	No	
Trans-dichloroethylene	1 - 5	Ye	es	No		No	Ye	es	No	
Ethanediol	1 - 5	No)	No		No	Ye	es	No	
2,2-Oxibisethanol	1 - 5	No)	No		No	Ye	es	No	
N,N,N',N',N'',N''-Hexamethyl- 1,3,5-triazine-1,3,5(2H,4H,6H)- tripropanamine	1 - 5	No)	No		No	Yes		No	
SARA 313		•				•			•	
		Product Na	ame		CAS#			%		
Form R - Reporting Requiremen	nts	Ethanediol			107-21-1			1-5		
Supplier Notification		Ethanediol			107-21-1	1		1 - 5	1 – 5	
SARA 313 notifications must no redistribution of the notice attachments						bution of the SD	S shal	ll include copyi	ng and	
STATE REGULATIONS										
Massachusetts	The follo	The following components are listed: Ethanediol; Trans-dichloroethylene; Glycerol.								
New York	The follo	The following components are listed: Ethanediol; Trans-dichloroethylene.								
New Jersey	The follo	The following components are listed: Ethanediol; Glycerol.								
Pennsylvania	The follo	The following components are listed: Ethanediol; 2,2' -Oxybisethanol; Trans-dichloroethylene.					ie.			
California Prop. 65	Glycerol	Glycerol.								
CANADA										
CANADIAN LISTS										
Canadian NPRI	The follo	wing compo	nents are list	ed: Ethar	nediol; 1,1,1,3,	3-Pentafluorobu	tane;			
1,1,1,3,3-Pentafluoropropane.										
CEPA Toxic Substances	The following components are listed: 1,1,1,3,3-Pentafluorobutane; 1,1,1,3,3-Pentafluoropropane.									
INTERNATIONAL LISTS / NATI	ONAL INVI	NTORY								
Australia	Not dete	Not determined								
China	Not determined.									
Europe	Not determined.									
Japan	Not dete	Not determined.								
Malaysia	Not determined.									
New Zealand	Not determined.									
Philippines	Not determined.									
Republic of Korea	Not dete	Not determined.								

SECTION 16: OTHER INFORMATION				
Prepared By	Demilec Inc Technical Department			
Preparation Date (Y/M/D)	2018-7-25			
Current Issue Date (Y/M/D)	2018-7-25			

Not determined.

Notice to Reader: To the best of our knowledge, the information contained herein is accurate. However, neither the above-named supplier, nor any of its subsidiaries, assumes any liability whatsoever for the accuracy or completeness of the information contained herein. Final determination of suitability of any material is the sole responsibility of the user. All materials may present unknown hazards and should be used with caution. Although certain hazards are described herein, we cannot guarantee that these are the only hazards that exist.

Taiwan