

EXOAIR 110

Version 4.0
REVISION DATE: 07/15/2014

Print Date 07/16/2014

SECTION 1 - PRODUCT IDENTIFICATION

Trade name : **EXOAIR 110**

Product code : 584206 504

COMPANY : Tremco Incorporated
3735 Green Road
Cleveland, OH 44122

Telephone : (216) 292-5000 8:30 - 5:00 EST
Emergency Phone : (216) 765-6727 8:30 - 5:00 EST
After Hours: Chemtrec 1-800-424-9300

SECTION 2 - HAZARDS IDENTIFICATION

Emergency Overview

Black. Leave area to breathe fresh air. Avoid further overexposure. If symptoms persist, get medical attention.

Acute Potential Health Effects/ Routes of Entry

Inhalation :
Eyes :
Ingestion :
Skin :

Aggravated Medical Conditions

Chronic Health Effects

Prolonged and repeated exposure to excessive airborne concentrations of talc can result in scarring of the lungs (pneumoconiosis) or the covering of the lungs (pleural thickening).

SECTION 3 - PRODUCT COMPOSITION

Chemical Name	CAS-No.	Weight %
Oxidized asphalt	64742-93-4	> 60.0
Talc	14807-96-6	15.0 - 40.0
Paraffinic distillate	64742-04-7	10.0 - 30.0
Inert filler	NJ TSRN# 51721300-5128P	5.0 - 10.0
Styrene-butadiene copolymers	NJ TSRN# 51721300-5132P	5.0 - 10.0

SECTION 4 - FIRST AID MEASURES

Get immediate medical attention for any significant overexposure.

Inhalation : Leave area to breathe fresh air. Avoid further overexposure. If symptoms persist, get medical attention.

Eye contact : Flush with water for 15 minutes. If irritation persists, get medical attention. Flush with water for at least 15 minutes while holding eye lids apart. Get medical attention immediately.

EXOAIR 110

Version 4.0
 REVISION DATE: 07/15/2014

Print Date 07/16/2014

Skin contact : Generally not required under normal conditions of use. Wash area of contact thoroughly with hand cleaner followed by soap and water. If irritation, rash or other disorders develop, get medical attention immediately.

SECTION 5 - FIRE FIGHTING MEASURES

Flash point : > 410 °F, > 210 °C
 Method : Not available.
 Lower explosion limit : Not available.
 Upper explosion limit : Not available.
 Autoignition temperature : Not available.

SECTION 6 - ACCIDENTAL RELEASE MEASURES

No known applicable information.

SECTION 7 - HANDLING AND STORAGE

No known applicable information.

SECTION 8 - EXPOSURE CONTROLS / PERSONAL PROTECTION

Exposure Limits

Chemical Name	CAS Number	Regulation	Limit	Form
Oxidized asphalt	64742-93-4	OSHA TWA PEL: ACGIH TWA: ACGIH TWA:	5 mg/m3 0.5 mg/m3 5 mg/m3	Mist. Fume. Mist.
Talc	14807-96-6	ACGIH TWA: OSHA TWA: OSHA TWA: OSHA PEL: OSHA PEL:	2 mg/m3 0.1 mg/m3 0.3 mg/m3 15 mg/m3 5 mg/m3	Respirable fraction. Respirable. Total dust. Total dust. Respirable fraction.
Paraffinic distillate	64742-04-7	OSHA PEL: ACGIH TWA:	5 mg/m3 5 mg/m3	Mist. Inhalable fraction.
Inert filler	NJ TSRN# 51721300-5128P	ACGIH TWA: ACGIH TWA: OSHA PEL: OSHA PEL: OSHA TWA: OSHA TWA:	3 mg/m3 10 mg/m3 15 mg/m3 5 mg/m3 15 mg/m3 5 mg/m3	Respirable particles. Inhalable particles. Total dust. Respirable fraction. Total dust. Respirable fraction.

EXOAIR 110Version 4.0
REVISION DATE: 07/15/2014

Print Date 07/16/2014

SECTION 9 - PHYSICAL AND CHEMICAL PROPERTIES

Color	:	Black
Odor	:	Petroleum
pH	:	Not available.
Vapour pressure	:	Not available.
Vapor density	:	Not available.
Melting point/range	:	Not available.
Freezing point	:	Not available.
Boiling point/range	:	Not available.
Water solubility	:	Insoluble
Specific Gravity	:	1.2
% Volatile Weight	:	0 %

SECTION 10 - REACTIVITY / STABILITY**SECTION 11 - TOXICOLOGICAL INFORMATION**

No Data Available

SECTION 12 - ECOLOGICAL INFORMATION

No Data Available

SECTION 13 - DISPOSAL CONSIDERATIONS

Not available.

SECTION 14 - TRANSPORTATION / SHIPPING DATA**CFR / DOT:**

Not Regulated

TDG:

Not Regulated

IMDG:

EXOAIR 110Version 4.0
REVISION DATE: 07/15/2014

Print Date 07/16/2014

Not Regulated

SECTION 15 - REGULATORY INFORMATION**North American Inventories:**

All components are listed or exempt from the TSCA inventory.
This product or its components are listed on, or exempt from the Canadian Domestic Substances List.

U.S. Federal Regulations:

SARA 313 Components : None present or none present in regulated quantities.

SARA 311/312 Hazards : Acute Health Hazard
Chronic Health Hazard

OSHA Hazardous Components :

Oxidized asphalt	64742-93-4
Talc	14807-96-6
Paraffinic distillate	64742-04-7
Inert filler	NJ TSRN# 51721300-5128P

OSHA Status: Considered : Irritant
hazardous based on the Carcinogen
following criteria:

OSHA Flammability : IIIB

Regulatory VOC (less water and : 0 g/l
exempt solvent)

VOC Method 310 : Not available.

Chemical is listed as an IARC, NTP, OSHA, or ACGIH Carcinogen:

Paraffinic distillate 64742-04-7

U.S. State Regulations:MASS RTK Components : Talc 14807-96-6
Paraffinic distillate 64742-04-7Penn RTK Components : Oxidized asphalt 64742-93-4
Talc 14807-96-6
Paraffinic distillate 64742-04-7
Inert filler NJ TSRN# 51721300-5128P
Styrene-butadiene copolymers NJ TSRN# 51721300-5132PNJ RTK Components : Oxidized asphalt 64742-93-4
Talc 14807-96-6
Paraffinic distillate 64742-04-7
Inert filler NJ TSRN# 51721300-5128P
Styrene-butadiene copolymers NJ TSRN# 51721300-5132PComponents under California Proposition 65:
None known.

EXOAIR 110Version 4.0
REVISION DATE: 07/15/2014

Print Date 07/16/2014

SECTION 16 - OTHER INFORMATION**HMIS Rating :**

Health	1
Flammability	1
Reactivity	0
PPE	

0 = Minimum
 1 = Slight
 2 = Moderate
 3 = Serious
 4 = Severe

Further information:

For Industrial Use Only. Keep out of Reach of Children. The hazard information herein is offered solely for the consideration of the user, subject to their own investigation of compliance with applicable regulations, including the safe use of the product under every foreseeable condition.

Prepared by: Rich Mikol**Legend**

ACGIH - American Conference of Governmental Hygienists
 CERCLA - Comprehensive Environmental Response, Compensation, and Liability Act
 DOT - Department of Transportation
 DSL - Domestic Substance List
 EPA - Environmental Protection Agency
 HMIS - Hazardous Materials Information System
 IARC - International Agency for Research on Cancer
 MSHA - Mine Safety Health Administration
 NDSL - Non-Domestic Substance List
 NIOSH - National Institute for Occupational Safety and Health
 NTP - National Toxicology Program
 OSHA - Occupational Safety and Health Administration

PEL - Permissible Exposure Limit
 RCRA - Resource Conservation and Recovery Act
 RTK - Right To Know
 SARA - Superfund Amendments and Reauthorization Act
 STEL - Short Term Exposure Limit
 TLV - Threshold Limit Value
 TSCA - Toxic Substances Control Act
 TWA - Time Weighted Average
 V - Volume
 VOC - Volatile Organic Compound
 WHMIS - Workplace Hazardous Materials Information System

